

## WHAT IS CLAIMED

1. A desktop bible carrying case including:
  - an upstanding front wall;
  - an upstanding back wall aligned with and spaced from
  - 5 the front wall;
  - a first side wall coupled to extend between one end of
  - the front and back walls;
  - a second side wall coupled to extend between another
  - end of the front and back walls;
  - 10 a flexibly extending skirt-like member coupled to extend
  - from upper portions of the back wall and first and second side
  - walls;
  - a bottom wall aligned in coupling engagement with
  - bottom portions of the front and back and first and second side
  - 15 walls, so that a cavity is formed between the walls;
  - a support ridge coupled in the cavity to inside portions
  - of the front, back and side walls;
  - a top flexible extending wall having end portions thereof
  - pivotably coupled to the back wall;
  - 20 a planar shaped desktop member pivotably coupled to
  - the back wall adjacent to and between the top wall and the
  - support ridge; and

an elevating member pivotably coupled to an outermost end of the desktop member adjacent to the back wall.

2. A desktop bible carrying case as defined in Claim 1 further including a first coupling means for pivotably coupling the top wall to the upper end portions of the back wall and for pivotably coupling one end of the desktop member adjacent the back wall between the top wall and support ridge.

3. A desktop bible carrying case as defined in Claim 2 wherein the first coupling means includes an elongated spiral coupling member aligned to engage inside and outside portions of the top and back wall and end portions of the desktop member, so that the top is pivotable from a closed position to an open position and so that the desktop member is pivotable from a parallel position to a diagonal position.

4. A desktop bible carrying case as defined in Claim 3 wherein the top wall includes:

an interior wall member;

an exterior wall member having an opening formed therein aligned adjacent to and spaced from the interior wall members so that a cavity is formed therebetween and so that access to the cavity can be gained through the opening in the exterior wall.

5. A desktop bible carrying case as defined in Claim 4 wherein the bottom wall includes:

an interior wall member; and

an exterior wall member, having an opening formed therein, aligned adjacent to and spaced from the interior wall member so that a cavity is formed therein and so that access to the cavity can be gained through the opening in the exterior wall.

6. A desktop bible carrying case as defined in Claim 5 further including:

a first elongated coupling member formed along lower portions of the top wall; and

a second elongated coupling member formed along upper portions of the front and side walls so that the first and second elongated coupling members can be lockingly engaged to secure the top wall to the front and side walls.

7. A desktop bible carrying case as defined in Claim 6 further including an handle coupled to the front wall.

8. A desktop bible carrying case as defined in Claim 7  
wherein the handle includes:

a first support member;

5 a second support member spaced from and aligned with  
the first support member; and

a grip member coupled between the first and second  
support members.

9. A desktop bible carrying case including:
- a first enclosure having a cavity formed therein;
  - a second enclosure having a cavity formed therein aligned with and pivotably coupled to the first enclosure;
  - 5 a first support ridge coupled in the first cavity to inside portions of the first enclosure;
  - a second support ridge coupled in the second cavity to inside portions of the second enclosure;
  - a first planar shaped desktop member aligned in the first enclosure;
  - 10 a second planar shaped desktop member aligned in the second enclosure and pivotably coupled to the first planar shaped desktop member;
  - a first elevating member pivotably coupled to an uppermost end of the first desktop member; and
  - 15 a second elevating member pivotably coupled to an uppermost end of the second desktop member.

10. A desktop bible carrying case as defined in Claim 9  
wherein the first and second enclosures include:

an upstanding front wall;

an upstanding back wall aligned with and spaced from  
5 the front wall;

a first side wall coupled to extend between one end of  
the front and back walls;

a second side wall coupled to extend between another  
end of the front and back walls;

10 a flexibly extending skirt-like member formed on  
uppermost portions of the second side wall and back walls; and

a bottom wall aligned in coupling engagement with  
bottom portions of the front and back and first and second side  
walls, so that the support cavity is formed between the walls.

15

11. A desktop bible carrying case as defined in Claim 10 wherein:

the support ridge of the first and second enclosures is coupled in the cavity to inside portions of the front, back and  
5 side walls;

the planar shaped desktop members are pivotably coupled to each other at innermost portions thereof and to the flexibly extending skirt-like member at uppermost portions of the flexibly extending skirt-like member; and

10 the elevating members are pivotably coupled to an uppermost end of the desktop members adjacent to the second side walls.

12. A desktop bible carrying case as defined in Claim 11 wherein the first and second enclosures each further includes a  
15 coupling means for pivotably coupling the top wall to the upper end portions of the back wall.

13. A desktop bible carrying case as defined in Claim 12 wherein the coupling means includes an elongated spiral coupling member aligned to engage inside and outside portions  
20 of the back wall, so that the enclosures can be pivotable from a closed position to an open position.

14. A desktop bible carrying case as defined in Claim 13 wherein the back wall of the first and second enclosures each include:

an interior wall member;

5 an exterior wall member having an opening formed therein aligned adjacent to and spaced from the interior wall members so that a cavity is formed therebetween and so that access to the cavity can be gained through the opening in the exterior wall.

10 15. A desktop bible carrying case as defined in Claim 14 wherein the back wall further includes a pair of pocket members with each pocket member including;

an interior wall member; and

15 an exterior wall member, having an opening formed therein, aligned adjacent to and spaced from the interior wall member so that a cavity is formed therebetween and so that access to the cavity can be gained through the opening in the exterior wall.

20 16. A desktop bible carrying case as defined in Claim 15 wherein each pocket member includes a plurality of adjacently aligned elongated pocket members formed thereon.



17. A desktop bible carrying case as defined in Claim 16 further including:

a first elongated coupling member formed along lower portions of the front and side walls of the first enclosure; and

5 a second elongated coupling member formed along upper portions of front and side walls of the second enclosure so that the first and second elongated coupling members can be lockingly engaged to secure the first enclosure to the second enclosure.

10 18. A desktop bible carrying case as defined in Claim 17 further including an handle coupled to the front wall of the first enclosure.

19. A desktop bible carrying case as defined in Claim 18 wherein the handle includes:

15 a first support member;

a second support member spaced from and aligned with the first support member; and

a grip member coupled between the first and second support members.